

# Door and Two Sidelite Entrance Systems



FC36 with two (2) FC36SL



## Fiber-Classic® Fiberglass Entry Door Systems



Few doors stand the test of time like a beautiful Fiber-Classic® entryway. It's the industry's original fiberglass door, engineered with the look and feel of a natural wood door.

The designs shown in the Big L Distributors Therma Tru Fiber-Classic® Selection guide represent the most popular selections from each of the Therma-Tru Fiber-Classic® glass and panel collections.

### The pricing shown below each design is for the following specification:

- 36" x 80" nominal size unpainted, unstained Fiber-Classic® door (prepped for lockset and deadbolt) with (2) unpainted 12" or 14" Fiber-Classic® sidelites. Therma Tru Finishing Kit not included.
- Rough opening sizes of 65-1/2" (12" sidelites) or 68-1/2" (14" sidelites) x 82-1/2"
- The unit is prehung with (3) brasstone self-aligning hinges in a 4-9/16" weather-stripped prime painted Frame-Defense® wood jamb, a continuous head jamb and Tru-Defense aluminum sill with composite substrate and adjustable riser with a protective sill cover applied, adjustable strike plate, exterior brickmould casing and storm door adaptors applied.
- Prices do not include sales tax, locksets, delivery charges, or installation.

Prices and availability are subject to change without notice and are intended to give you a general guide to a broad range of design choices. Your final price may vary depending on jamb specifications, and hardware and sill options. Please call us at 800-336-2445 to get an exact detailed quotation, including installation

For the complete selection of Therma Tru Doors, visit [www.thermtru.com](http://www.thermtru.com).



Polyurethane Foam Core. Offers five times the energy efficiency of a wood door and is CFC-free.



Our BTS doorlite frames stand up to temperature extremes.




Polystyrene doorlite frames warp and turn yellow over time.



Weatherstrip. Foam-filled compression weather-stripping remains flexible and seals your entrance against moisture and air infiltration.

Exclusive Doorlite Frames. BTS Doorlite frames handle temperature swings and extremes without warping, splitting, cracking, or yellowing – even behind storm doors where thermal heat buildup occurs. You can stain or paint Therma Tru doors a dark color without worry, or compromising the warranty.



Tru-Defense Sills.. High Dam design with composite threshold cap locks under the door while a flush surface provides full contact between the sweep and sill to keep water out.



Kerfed Door bottom. Provides a tight seal. Composite top and bottom rails won't rot or warp.



Tru-Defense Corner Seal pad. It's innovative design creates a pocket that effectively prevents water infiltration.



Tru-Defense Door Bottom Sweep. Features dual bulbs with dual fins that sit tightly on the sill to help prevent air and water infiltration.

**GUARD  
AGAINST  
ATTACK**

### Frame Defense Limited Lifetime Warranty Exterior Door Frames

Frame Defense provides an effective method of controlling moisture using a combination of a high quality primer with a specially formulated end grain seal to create an advanced moisture barrier



For the complete selection of Therma Tru Doors, visit [www.thermtru.com](http://www.thermtru.com).

