


Keystone™




Curved Bevels
Rounded Bright Brass Caming
Gray Baroque Glass



Starlite™




Rounded Bright Brass Caming
Clear Curved Bevels
Waterglass



4-9/16" primed Jamb, TD composite sill., sill cover, DBP, storm door sdaptors on S/L units



Blackstone™




Crystalline™




4-9/16" primed Jamb, TD composite sill., sill cover, DBP, storm door sdaptors on S/L units




Sedona™



Salinas™



Wellesley™



Bevelline



THERMA TRU®
DOORS
The Most Preferred Brand in the Business™

Frosted Images®



FC11SL



FC60



FC11SL



FC11SL



FC11



FC11SL



FC11SL



FC122



FC11SL



FC44SL



FC66



FC44SL



FC44SL



FC60



FC44SL




FC44



FC44SL

Clear



FC18SLR



FC60



FC18SLR



FC47SL



FC10



FC47SL



FC18SLR



FC18



FC18SLR



FC32SL



FC32



FC32SL



FC48SL



FC48



FC48SL



FC18SLR



FC61




FC18SLR

4-9/16" primed Jamb, TD composite sill, sill cover, DBP, storm door sdaptors on S/L units



THERMA TRU
DOORS
The Most Preferred Brand in the Business™

Solid Panel Styles



Fiber-Classic has the warm, rich look of hardwood, with all of the advantages of Therma-Tru fiberglass.



FC18SL FC60 FC18SL



FC18SL FC40 FC18SL



FC18SL FC31 FC18SL



FC18SL FC134 FC18SL



FC18SL FC755 FC18SL




FC18SL FC135 FC18SL

4-9/16" primed Jamb, TD composite sill, sill cover, DBP, storm door sdaptors on S/L units



THERMA TRU
DOORS
The Most Preferred Brand in the Business

Door and Two Sidelite Entrance Systems



FC36 with two (2) FC36SL

Fiber-Classic® Fiberglass Entry Door Systems



Few doors stand the test of time like a beautiful Fiber-Classic® entryway. It's the industry's original fiberglass door, engineered with the look and feel of a natural wood door.

The designs shown in the Big L Distributors Therma Tru Fiber-Classic® Selection guide represent the most popular selections from each of the Therma-Tru Fiber-Classic® glass and panel collections.

The pricing shown below each design is for the following specification:

- 36" x 80" nominal size unpainted, unstained Fiber-Classic® door (prepped for lockset and deadbolt) with (2) unpainted 12" or 14" Fiber-Classic® sidelites. Therma Tru Finishing Kit not included.
- Rough opening sizes of 65-1/2" (12" sidelites) or 68-1/2" (14" sidelites) x 82-1/2"
- The unit is prehung with (3) brasstone self-aligning hinges in a 4-9/16" weather-stripped prime painted Frame-Defense® wood jamb, a continuous head jamb and Tru-Defense aluminum sill with composite substrate and adjustable riser with a protective sill cover applied, adjustable strike plate, exterior brickmould casing and storm door adaptors applied.
- Prices do not include sales tax, delivery charges, or installation.

Prices and availability are subject to change without notice and are intended to give you a general guide to a broad range of design choices. Your final price may vary depending on jamb specifications, and hardware and sill options. Please call us at 800-336-2445 to get an exact detailed quotation, including installation

For the complete selection of Therma Tru Doors, visit www.thermtru.com.



Polyurethane Foam Core. Offers five times the energy efficiency of a wood door and is CFC-free.



Our BTS doorlite frames stand up to temperature extremes.




Polystyrene doorlite frames warp and turn yellow over time.



Weatherstrip. Foam-filled compression weather-stripping remains flexible and seals your entrance against moisture and air infiltration.

Exclusive Doorlite Frames. BTS Doorlite frames handle temperature swings and extremes without warping, splitting, cracking, or yellowing – even behind storm doors where thermal heat buildup occurs. You can stain or paint Therma Tru doors a dark color without worry, or compromising the warranty.



Tru-Defense Sills.. High Dam design with composite threshold cap locks under the door while a flush surface provides full contact between the sweep and sill to keep water out.



Kerfed Door bottom. Provides a tight seal. Composite top and bottom rails won't rot or warp.



Tru-Defense Corner Seal pad. It's innovative design creates a pocket that effectively prevents water infiltration.



Tru-Defense Door Bottom Sweep. Features dual bulbs with dual fins that sit tightly on the sill to help prevent air and water infiltration.

**GUARD
AGAINST
ATTACK**

Frame Defense Limited Lifetime Warranty Exterior Door Frames

Frame Defense provides an effective method of controlling moisture using a combination of a high quality primer with a specially formulated end grain seal to create an advanced moisture barrier



For the complete selection of Therma Tru Doors, visit www.thermtru.com.

